
PVL 22

PVL 22 - Key Features




Double Coated Mesh

Our soft screens can easily withstand strong-wind pressure without losing shape.



High Tensile Strength

Our wires are 5 times stronger than common wires and don't break easily under pressure.



One-finger operation.

Our slide stability rollers helps you operate the screen from any height, with just one-finger.


Vertica

PERFECT FOR:

Ventilators, Casement Doors & Windows and Sliding Windows & Doors



Note: Max. Height and Width will be determined by the Height-Width Ratio






Uno

PERFECT FOR:

Casement, Doors & Windows, Sliding Windows & Doors, Sliding Folding Doors and Tilt & Turn Windows

PVL 22	PVL 22 EZ
WIDTH	WIDTH
2,400 mm	2,400 mm
HEIGHT	HEIGHT
2,500 mm	3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio






Proxima

PERFECT FOR:

Sliding Windows & Doors, Sliding Folding Doors, Tilt & Turn Windows and Lift & Slide Doors

PVL 22	PVL 22 EZ
WIDTH	WIDTH
4,500 mm	4,500 mm
HEIGHT	HEIGHT
2,500 mm	3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio





PVL 22


Centra


PERFECT FOR:

Sliding Windows & Doors

PVL 22	PVL 22 EZ
WIDTH	WIDTH
2,400 mm	2,400 mm
HEIGHT	HEIGHT
2,500 mm	3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio







PVL 22


Double Centra


PERFECT FOR:

Wide Sliding Windows & Doors

PVL 22	PVL 22 EZ
WIDTH	WIDTH
4,500 mm	4,500 mm
HEIGHT	HEIGHT
2,500 mm	3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio







Corner

PERFECT FOR:

Terraces & balconies

WITH MESH OVERLAP WITHOUT MESH OVERLAP

 width
 width

 2,400 mm
 2,400 mm

 неіднт
 неіднт

 2,500 mm
 3,000 mm

Note: Max. Height and Width will be determined by the Height-Width Ratio

